



ANGUS FIRE

SAFETY DATA SHEET – AMS#316 Tridol^{®C6} ATF Ultra 1-3 Alcohol Resistant Aqueous Film Forming Foam Concentrate (AR-AFFF)

1. IDENTIFICATION

Product Name	Tridol ^{®C6} ATF Ultra 1-3 Alcohol Resistant Aqueous Film Forming Foam Concentrate (AR-AFFF)
Recommended use of the chemical and restrictions on use	
Identified uses	Firefighting Foam Concentrate
Restrictions on Use	See product data sheet
Company Identification	Angus Fire 141 Junny Street Angier, NC 27501-8625 (919) 659-6151
Customer Information Number	(919) 659-6151
Emergency Telephone Number	Infotrac at (800) 535-5053
Issue Date	January 18, 2017
Supersedes Date	October 24, 2016

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2. HAZARD IDENTIFICATION

Hazard Classification

Eye Damage/Irritation - Category 1
Skin Corrosion/Irritation - Category 2

Label Elements

Hazard Symbols



Signal Word: Danger

Hazard Statements

Causes serious eye damage.
Causes skin irritation.

Precautionary Statements

Prevention

Wash hands thoroughly after handling.
Wear protective gloves, eye protection and face protection.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage

None

Disposal

None



2. HAZARD IDENTIFICATION

Other Hazards

None identified.

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity	5 - 15%
Acute dermal toxicity	10 - 20%
Acute inhalation toxicity	20 - 30%
Acute aquatic toxicity	30 - 40%

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CAS Number	Concentration
Water	7732-18-5	55 - 65%
Hexylene Glycol	107-41-5	10 - 20%
Fluoroalkyl Surfactants	Proprietary	1 - 10%
Anionic Surfactant	Proprietary	1 - 10%
Synthetic Detergent	Proprietary	1 - 10%
Ethanol	64-17-5	<2%

4. FIRST-AID MEASURES

Description of necessary first-aid measures**Eyes**

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed**Notes to Physicians**

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved.



ANGUS FIRE

SAFETY DATA SHEET – AMS#316
Tridol^{®C6} ATF Ultra 1-3
Alcohol Resistant Aqueous Film Forming
Foam Concentrate (AR-AFFF)

5. FIRE - FIGHTING MEASURES

Specific hazards arising from the chemical

None known

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact.

Environmental Precautions

Prevent foam concentrate or foam solution from entering ground water, surface water, or storm drains. Discharge and disposal of concentrate or foam solution should be made in accordance with federal, state, and local regulations.

Methods and materials for containment and cleaning up

Contain and absorb using appropriate inert material and transfer into suitable containers for recovery or disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

Conditions for safe storage

Store in original containers between 35°F and 120°F (2°C and 49°C). Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Hexylene Glycol

ACGIH: Ceiling 25 ppm

Ethanol

ACGIH: 1000 ppm 15-min STEL

OSHA: PEL 1000 ppm (1900 mg/m³) 8h TWA

Appropriate engineering controls

Use with adequate ventilation. If this product is used in a pressurized system, there should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Individual protection measures

Respiratory Protection

Wear respiratory protection if there is a risk of exposure to high vapor concentrations, aerosols or if applied to hot surfaces. A NIOSH approved full face respirator may be worn. The specific respirator selected must be based on the airborne concentration found in the workplace and must not exceed the working limits of the respirator.

Skin Protection

Gloves

Eye/Face Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

	Physical State	Liquid
	Color	Pale yellow
Odor		Mild, pleasant
Odor Threshold		No data available
pH		8.0
Specific Gravity		1.03
Boiling Range/Point (°C/F)		No data available
Melting Point (°C/F)		No data available
Flash Point (°C/F)		>200°F
Vapor Pressure		No data available
Evaporation Rate (BuAc=1)		No data available
Solubility in Water		Soluble
Vapor Density (Air = 1)		Not applicable
VOC (%)		No data available
Partition coefficient (n-octanol/water)		No data available
Viscosity		No data available
Auto-ignition Temperature		Not applicable
Decomposition Temperature		No data available
Upper explosive limit		Not applicable
Lower explosive limit		Not applicable
Flammability (solid, gas)		Not applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization will not occur.



**ANGUS
FIRE**

SAFETY DATA SHEET – AMS#316
Tridol[®]C6 ATF Ultra 1-3
Alcohol Resistant Aqueous Film Forming
Foam Concentrate (AR-AFFF)

10. STABILITY AND REACTIVITY

Conditions to Avoid

Contact with incompatible materials

Incompatible Materials

Water reactive materials – alkali metals – electrically energized equipment

Hazardous Decomposition Products

Oxides of carbon – sulfur oxides – hydrogen fluoride – nitrogen oxides – sodium oxides

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Hexylene Glycol

Oral LD50 rat >2000 mg/kg

Dermal LD50 rabbit >2000 mg/kg

Anionic Surfactant

Oral LD50 rat >2000 mg/kg

Dermal LD50 rabbit >2000 mg/kg

Specific Target Organ Toxicity (STOT) – single exposure

No relevant studies identified.

Specific Target Organ Toxicity (STOT) – repeat exposure

No relevant studies identified.

Serious Eye damage/Irritation

Hexylene Glycol: Causes serious eye irritation

Anionic Surfactant: Causes serious eye damage.

Synthetic detergent: Severely irritating to eyes in rabbit study.

Skin Corrosion/Irritation

Hexylene Glycol: Causes skin irritation.

Anionic Surfactant: Causes skin irritation.

Respiratory or Skin Sensitization

No relevant studies identified.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

No relevant studies identified.

Reproductive Toxicity

No relevant studies identified.

11. TOXICOLOGICAL INFORMATION

Aspiration Hazard

Not an aspiration hazard.



**ANGUS
FIRE**

SAFETY DATA SHEET – AMS#316
Tridol^{®C6} ATF Ultra 1-3
Alcohol Resistant Aqueous Film Forming
Foam Concentrate (AR-AFFF)

12. ECOLOGICAL INFORMATION

Ecotoxicity

No relevant studies identified.

Mobility in soil

No relevant studies identified.

Persistence/Degradability

No relevant studies identified.

Bioaccumulative Potential

This product is not expected to bioaccumulate.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

This product, as sold, is not a RCRA-listed waste or hazardous waste as characterized by 40 CFR 261. However, state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Therefore, applicable local and state regulatory agencies should be contacted regarding disposal of waste foam concentrate or foam/foam solution.

Concentrate

Prevent foam concentrate from entering ground water, surface water or storm drains. Small quantities of foam concentrate may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations. High temperature incineration is recommended.

Foam/Foam Solution

Prevent foam/foam solution from entering ground water, surface water or storm drains. Small quantities of foam solution may be collected on absorbents which can then be disposed of. Disposal should be made in accordance with local, state and federal regulations, high temperature incineration is recommended.

NOTE: Please consult Angus Fire for additional information regarding the disposal of foam concentrates and foam solutions.

14. TRANSPORT INFORMATION

Shipping Information

Shipping Description

National Motor Freight Code

Fire Extinguisher Charges or Compounds N.O.I., Class 70
69160 Sub 0

This information is not intended to convey all transportation classifications that may apply to this product. Classifications may vary by container volume and by regional regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules when transporting this material.



**ANGUS
FIRE**

SAFETY DATA SHEET – AMS#316
Tridol^{®C6} ATF Ultra 1-3
Alcohol Resistant Aqueous Film Forming
Foam Concentrate (AR-AFFF)

15. REGULATORY INFORMATION

United States TSCA Inventory

All components of this product are in compliance with the inventory listing requirements of the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product have not been verified for listing on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL).

SARA Title III Sect. 311/312 Categorization

Immediate (Acute) Health Hazard

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations: None

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

None

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 3

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

BOD₅: Biochemical Oxygen Demand (5 day)

CAS#: Chemical Abstracts Service Number

COD: Chemical Oxygen Demand

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

STEL: Short Term Exposure Limit

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RQ: Reportable Quantity

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: January 18, 2017

Replaces: October 24, 2016

Changes made: Updates to sections 3 and 11.



**ANGUS
FIRE**

SAFETY DATA SHEET – AMS#316
Tridol^{®C6} ATF Ultra 1-3
Alcohol Resistant Aqueous Film Forming
Foam Concentrate (AR-AFFF)

16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By: EnviroNet LLC.

Tridol is a trademark of Angus International.

The information and recommendations presented in this SDS are based on sources believed to be accurate. Angus Fire assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make **NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED**, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.
